




LIGHTWEIGHT



Thermoplastic, Nylon Core and Plastic Modular Belting



MonoPro® Belts

Cover compounds and surface textures are offered for a variety of applications: food processing, packaging, logistics, metal stamping, recycling, building materials and pharmaceuticals.

Polyurethane



PVC

Silicone

Polyolefin


Non-Woven

Nitrile





Designed for durability and extended service life



PolyPro Plus® Belts

- Excellent dimensional stability
- Meets FDA and EU regulations
- Can be used in a wide range of applications
- Several specifications are ideal for corrugated sidewall and/or cleat fabrications
- Belts lay absolutely flat with no edge curling
- Exceptional splice quality

PolyPro Plus® Belting Applications



Food industry with bacteriological contamination risks, cheese & meat plants



Metal detectors, sticky dough products, chocolate candy, confectionery products



Bread & bun plants, chocolates, pastries, snacks, frozen foods, pharmaceutical



Recycling, eddy current, optical scanning, meat preparation, metal handling

Movex® designs and manufactures high quality conveyor belts and components for the beverage, packaging and automotive industries.



- Modular Belts
- Belt Sprockets
- Steel Chains
- Plastic Chains
- Sprockets & Idler Wheels
- Conveyor Components
- Return Components
- Support Components
- Bearing Supports
- Leveling Pads
- Profile UHMW-PE & BluLub




Delivers better overall performance

PolyBelt™
Nylon Core

PolySprint™
Printing

Carryflex™
Live Roller



Nitta stands alone as the only vertically integrated US manufacturer of flat power transmission belting.




When the most direct route isn't a straight line

ProTurn® replacement belts are fabricated to your customers' exact specifications with all guidance hardware installed.

Belts for 45°, 90°, 180° and spiral lift applications include either chain, urethane bead, or bearing/wheel guide systems attached and ready for service.


High speed operations and strict safety standards are a way of life for facility managers at airports and around-the-clock package sorting facilities. When faced with a choice of endless conveyor belt options, distributors can be certain we stock an excellent selection of high performance products.



ZipLink is a breakthrough in belting design that combines time tested rubber cover materials with a structured spiral link mesh that can be easily spliced at any length into a continuous belt without the need for special tools, presses or other equipment. ZipLink's construction eliminates points of weakness because there is no loss of strength in the splice area, making the belts stronger so they last longer than belts of other seamed or fused materials.

Applications

- Food Handling
- Package Handling
- Paper Products
- Wood Products
- Textile Industry
- Electronic Parts
- Metal Part Conveyor
- General Industry






Optimize Performance with an easy to clean belt

ProClean PD positively driven belt replaces plastic modular belt in the food processing industry and optimizes the performance of your conveyor with a low tension belt system.



FLAT BELTING



PLASTIC / STEEL LACING



DRIVE BAR

ProClean FB flat belt products have a 100% closed surface, homogeneous thermoplastic structure, and smooth or textured surfaces.



CENTER DRIVE



FABRICATIONS




Surface Selection



Detectable Products

Advanced belting with a "safety net"



An exclusive blend of FDA compliant metal detectable thermoplastic resins.

An X-ray detectable urethane material. Extremely durable with low maintenance and low stretch.

Fabrications

Lacing and splicing is offered in a variety of options



In addition to lacing and splicing, we have a variety of value added fabrications to choose from. These belts include Corrugated Sidewall, Cleating, Perforations, and V-Guide belts.


Single Finger Splice



Double Finger Splice




Perforations




Cleating

High Frequency/ Hot Welded/ Cast Urethane



Thermoplastic Corrugated Sidewall



PVC / PU V-Guides



Mechanical Lacing

- Flexco Clipper
- Flexco Alligator
- Plastic Spiral
- Soft Splice

Laminations

- Black Neoprene
- Gum Rubber
- Neoprene Foam
- Urethane Foam

Lightweight Thermoplastic Products



4143 Rider Trail North | St. Louis, MO 63045
314-344-8500 | 800-727-2358 | Fax: 314-344-8511
beltservice.com | sales@beltservice.com

TEXAS

800-727-2358

Fax: 314-344-8511

SACRAMENTO

800-289-2358

Fax: 916-419-0173

PHILADELPHIA

800-777-1314

Fax: 215-295-5810

BOISE

800-423-4469

Fax: 208-343-8043

PORTLAND

800-347-9251

Fax: 503-285-5380

CHARLOTTE

800-849-2358

Fax: 704-949-2104

CANADA

877-210-7423

Fax: 905-565-9224

BELTSERVICE

DE MÉXICO

5255-5362-0434

Fax: 5255-5362-0261

BELTSERVICE

MONTERREY

81-1090-0006

Twitter@BeltServiceMty